

Clinical Institute Withdrawal Assessment Of Alcohol Scale, Revised (Ciwa-Ar)

Patient:	Date:	Time:	(24 hour clock, midnight = 00:00)
Pulse or heart rate, taken for one minute:		Blood pressure:	
NAUSEA AND VOMITING — Ask "Do you feel sick to stomach? Have you vomited?" Observation. 0 no nausea and no vomiting 1 mild nausea with no vomiting 2 3 4 intermittent nausea with dry heaves 5 6 7 constant nausea, frequent dry heaves and vomiting		needles sensations, ar bugs crawling on or u 0 none 1 very mild itching, pir 2 mild itching, pins an	s Ilucinations
TREMOR — Arms extended and fingers spread apa Observation. 0 no tremor 1 not visible, but can be felt fingertip to fingertip 2 3 4 moderate, with patient's arms extended 5 6 7 severe, even with arms not extended PAROXYSMAL SWEATS — Observation.	rt.	sounds around you? A you hearing anything things you know are n 0 not present 1 very mild harshness 2 mild harshness or at 3 moderate harshness 4 moderately severe h 5 severe hallucination 6 extremely severe ha 7 continuous hallucination	oility to frighten s or ability to frighten nallucinations s llucinations
O no sweat visible 1 barely perceptible sweating, palms moist 2 3 4 beads of sweat obvious on forehead 5 6 7 drenching sweats		bright? Is its color diffe	erent? Does it hurt your eyes? Are you seing things re?" Observation. mallucinations s llucinations
ANXIETY — Ask "Do you feel nervous?" Observation on anxiety, at ease 1 mild anxious 2 3 4 moderately anxious, or guarded, so anxiety is infection of the second of the sec	erred	HEADACHE, FULLNES different? Does it feel	SS IN HEAD — Ask "Does your head feel like there is a band around your head?" ess or lightheadedness. Otherwise, rate
0 normal activity 1 somewhat more than normal activity 2 3 4 moderately fidgety and restless 5 6 7 paces back and forth during most of the interview constantly thrashes about	v, or	ORIENTATION AND C day is this? Where are 0 oriented and can do 1 cannot do serial add 2 disoriented for date	serial additions litions or is uncertain about date by no more than 2 calendar days by more than 2 calendar days
The CIWA-Ar is not copyrighted and may be reproduced free Sullivan, J.T.; Sykora, K.; Schneiderman, J.; Naranjo, C Assessment of alcohol withdrawal: The revised Clinic Assessment for Alcohol scale (CIWA-Ar). British Journ 84:1353-1357, 1989.	.A.; and Sellers, E.M. al Institute Withdrawal		Total CIWA-Ar Score Rater's Initials Maximum Possible Score 67

Patients scoring less than 10 do not usually need additional medication for withdrawal.